

1 unit 1,2,3 detail planting plan
Scale: 1/8" = 1'-0"

PLANT IMAGES



ID	Latin Name	Common Name
TREES		
apf	Acer circinatum 'Pacific Fire'	Pacific Fire Vine Maple
SHRUBS		
gp	Gaultheria procumbens	Creeping Wintergreen
gs	Gaultheria shallon	Salal
Ma	Mahonia aquifolium	Oregon Grape Holly
Mn	Mahonia nervosa	Dwarf Oregon Grape
psb	Philadelphus x 'Snowbelle'	Snowbelle Mock Orange
Phs	Physocarpus opulifolius	Ninebark
Rh1	Rhododendron 'PJM'	PJM Rhododendron
Rh4	Rhododendron catawbiense	Catawba Rhododendron
Ris	Ribes sanguineum	Red Flowering Currant
sbt	Spiraea betulifolia 'Tor'	Tor Birchleaf Spirea
smb	Symphoricarpos x doerentiosii 'Magic Berry'	Magic Berry Coralberry
Vet	Vaccinium ovatum 'Thunderbird'	Thunderbird Evergreen Huckleberry
PERENNIALS & GROUNDCOVER		
ar	Arctostaphylos uva-ursi 'Vancouver Jade'	Bearberry, Kimlinnick
ble	Blechnum spicant	Deer Fern
pol	Polystichum munitum	Western sword fern
ORN. GRASSES & BAMBOO		
ogn	Ophiopogon japonicus 'Nanus'	Dwarf Mondo Grass

PLANT LIST - ON SITE

ID	Latin Name	Common Name
TREES		
apf	Acer circinatum 'Pacific Fire'	Pacific Fire Vine Maple
SHRUBS		
gp	Gaultheria procumbens	Creeping Wintergreen
gs	Gaultheria shallon	Salal
Ma	Mahonia aquifolium	Oregon Grape Holly
Mn	Mahonia nervosa	Dwarf Oregon Grape
psb	Philadelphus x 'Snowbelle'	Snowbelle Mock Orange
Phs	Physocarpus opulifolius	Ninebark
Rh1	Rhododendron 'PJM'	PJM Rhododendron
Rh4	Rhododendron catawbiense	Catawba Rhododendron
Ris	Ribes sanguineum	Red Flowering Currant
sbt	Spiraea betulifolia 'Tor'	Tor Birchleaf Spirea
smb	Symphoricarpos x doerentiosii 'Magic Berry'	Magic Berry Coralberry
Vet	Vaccinium ovatum 'Thunderbird'	Thunderbird Evergreen Huckleberry
PERENNIALS & GROUNDCOVER		
ar	Arctostaphylos uva-ursi 'Vancouver Jade'	Bearberry, Kimlinnick
ble	Blechnum spicant	Deer Fern
pol	Polystichum munitum	Western sword fern
ORN. GRASSES & BAMBOO		
ogn	Ophiopogon japonicus 'Nanus'	Dwarf Mondo Grass

FOREST RESTORATION AREA

- NATIVE PLANT MIX:
- Acer circinatum 'Pacific Fire'
 - Gaultheria shallon
 - Mahonia aquifolium
 - Polystichum munitum 'Snowbelle'
 - Symphoricarpos x doerentiosii 'Magic Berry'
 - Vaccinium ovatum 'Thunderbird'
 - Polystichum munitum

VEGETATED MSE WALL

- PLANT MIX:
- Arctostaphylos uva-ursi
 - Blechnum spicant
 - Gaultheria procumbens
 - Mahonia repens
 - Sedum angelifolia

Planting Notes

- All materials and execution of landscape works shall conform to the CLS/B.C.N.T.A. Landscape standard. Refer to written specifications for complete landscape documentation.
- All landscape works (including boulevard) to be automatically irrigated.
- The Landscape Contractor shall ensure that the on-site planting medium/soil meets the specification & recommendations of the soil analysis taken at the time of Substantial Completion. All recommendations of the soil analysis shall be executed prior to Final Acceptance of the landscape works by the Consultant and the municipal authorities.
- Minimum planting medium depth: 300 mm. shrubs - 18"/450 mm. trees - 24"/600 mm. (around & beneath rootball)
- All plant material shall meet minimum size requirements as indicated in plant list. Quality of plant material and grading of site to conform to the B.C.N.T.A. standard for container grown stock.
- All plant material to be supplied on the job site must be obtained from a nursery participating in the BCLNA Phytophthora rotum Certification Program. Plant material provided by the contractor found to be carrying Pr will be removed, disposed of and replaced at the contractor's expense.
- Tree Protection Measures: Where construction, demolition, or excavation is to take place within 4m of the drip line of a tree to be retained, a protection barrier at least 40" (1.2m) in height must be installed around the tree or group of trees to be retained. The diameter of the barrier shall be no smaller than the drip line of the tree(s). The barrier must be constructed of snow fencing staked every 3' and must be installed prior to construction. The barrier shall clearly display all-weather signage indicating that the area is a protected zone. Any work which must be done within the protection zone is to be done by hand. No burning is to take place close enough for the flames or heat to damage any tree to be retained.

Revisions:

- Issued for Client Review - January 25, 2018
- Issued for DP - April 10, 2018

Consultants:


Project:
Area 6 Lot 4,
West Vancouver, BC

Title:

Unit 1,2,3 Details Planting Plan

Drawn:
Date:
Scale:
As Noted.

Project No:
17.038
Sheet No:
L7 of 11



1 unit 4,5,6, detail planting plan
Scale: 1/8" = 1'-0"

PLANT IMAGES



Planting Notes

- All materials and execution of landscape works shall conform to the CLS/B/C.N.T.A. Landscape standard. Refer to written specifications for complete landscape documentation.
- All landscape works (including boulevard) to be automatically irrigated.
- The Landscape Contractor shall ensure that the on-site planting medium/soil meets the specification & recommendations of the soil analysis taken at the time of Substantial Completion. All recommendations of the soil analysis shall be executed prior to Final Acceptance of the landscape works by the Consultant and the municipal authorities.
- Minimum planting medium depth: 27"/300 mm. shrubs - 18"/450 mm. trees - 24"/600 mm. (around & beneath rootball)
- All plant material shall meet minimum size requirements as indicated in plant list. Quality of plant material and grading of site to conform to the B.C.N.T.A. standard for container grown stock.
- All plant material to be supplied on the job site must be obtained from a nursery participating in the BCLNA Phytophthora rotumum Certification Program. Plant material provided by the contractor found to be carrying Pr will be removed, disposed of and replaced at the contractor's expense.
- Tree Protection Measures
Where construction, demolition, or excavation is to take place within 4m of the drip line of a tree to be retained, a protection barrier at least 40" (1.2m) in height must be installed around the tree or group of trees to be retained. The diameter of the barrier shall be no smaller than the drip line of the tree(s). The barrier must be constructed of snow fencing staked every 3' and shall be installed prior to any construction activity. The barrier shall clearly display all-weather signage indicating that the area is a protected zone. Any work which must be done within the protection zone is to be done by hand. No burning is to take place close enough for the flames or heat to damage any tree to be retained.

PLANT LIST - ON SITE

ID	Latin Name	Common Name
TREES		
apf	Acer circinatum 'Pacific Fire'	Pacific Fire Vine Maple
SHRUBS		
gp	Gaultheria procumbens	Creeping Wintergreen
gs	Gaultheria shallon	Salal
Ma	Mahonia aquifolium	Oregon Grape Holly
Mn	Mahonia nervosa	Dwarf Oregon Grape
Phl	Philadelphus x 'Snowbelle'	Snowbelle Mock Orange
Psh	Physocarpus opulifolius	Ninebark
Rh4	Rhododendron 'PJM'	PJM Rhododendron
Rh1	Rhododendron catawbiense	Catawba Rhododendron
Ris	Ribes sanguineum	Red Flowering Currant
sbt	Spiraea betulifolia 'Tor'	Tor Birchleaf Spirea
smb	Symphoricarpos x doorenbosii 'Magic Berry'	Magic Berry Coralberry
Vet	Vaccinium ovatum 'Thunderbird'	Thunderbird Evergreen Huckleberry
PERENNIALS & GROUNDCOVER		
ar	Arctostaphylos uva-ursi 'Vancouver Jade'	Bearberry, Kimlicknick
ble	Blechnum spicant	Deer Fern
pol	Polystichum munitum	Western sword fern
ORN. GRASSES & BAMBOO		
ogn	Ophiopogon japonicus 'Nanus'	Dwarf Mondo Grass

FOREST RESTORATION AREA

- NATIVE PLANT MIX:**
- Acer circinatum 'Pacific Fire'
 - Gaultheria shallon
 - Mahonia aquifolium
 - Polystichum munitum
 - Symphoricarpos x doorenbosii 'Magic Berry'
 - Vaccinium ovatum 'Thunderbird'
 - Polystichum munitum

VEGETATED MSE WALL

- PLANT MIX:**
- Arctostaphylos uva-ursi
 - Blechnum spicant
 - Gaultheria procumbens
 - Mahonia repens
 - Sedum angelifina

Revisions:

- Issued for Client Review - January 25, 2018
- Issued for DP - April 10, 2018

Consultants:

Project:
Area 6 Lot 4,
West Vancouver, BC

Title:

Unit 4,5,6 Details Planting Plan

Drawn: [blank]
Date: Mar 2017
Scale: As Noted.